Sc

KEY STAGE

3-6

2005

Science test Paper 2

Please read this page, but do not open the booklet until your teacher tells you to start. Write your name and the name of your school in the spaces below.

Last nameSchool	First name	
School	Last name	
	School	

Remember

- The test is 1 hour long.
- You will need: pen, pencil, rubber, ruler, protractor and calculator.
- The test starts with easier questions.
- Try to answer all of the questions.
- The number of marks available for each question is given below the mark boxes in the margin. You should not write in this margin.
- If you are asked to plan an investigation, there will be space for you to write down your thoughts and ideas.
- Do not use any rough paper.
- Check your work carefully.
- Ask your teacher if you are not sure what to do.


For marker's use only

Total marks

Borderline check

OCA/05/1/19

(a) Alfie made a model of part of the solar system.
 He used metal balls for the Sun, the Moon and the planets.



- E goes around D.
- B, C, D, F and G go around A.

Give the letter that is used to label:

(i) the model Sun;

(ii) the model Earth;

(iii) the model Moon;

(iv) the model planet with the largest orbit.


KS3/05/Sc/Tier 3-6/P2

1aii

1aiii

1aiv

1 mark



(i) The gravity on Neptune is 12 N/kg.

On the chart above, draw a bar for the planet Neptune. Use a ruler.

- (ii) Give the name of a planet where you would weigh more than you weigh on Earth.
- (iii) On which planet would a spaceship need the largest force to take off?


1 mark

1 bii
1 mark

1biii

maximum 7 marks

2. The drawing shows a snow-buggy being pulled by a sail. The buggy rests on three skis on the snow.



(a) The drawing shows four forces that act when the snow-buggy is moving.

Draw a line from each force in the list below to the correct letter from the diagram.


Draw only three lines.

force		letter
	1	А
the weight of the buggy		
	_	В
the force pulling the buggy along		
	_	С
the friction between the skis and the snow		
		D

KS3/05/Sc/Tier 3-6/P2

PrimaryTools.co.uk

(b)	A scientist travelled 80 kilometres (km) each day in the buggy.	
	How many kilometres did he travel in 10 days?	
	km	1 ma
(c)	The buggy carried the scientist, food and equipment for the journey. The table shows how the total mass changed.	
	total mass at start total mass at end of journey (kg) of journey (kg)	
	mass of buggy, scientist, food and equipment	
	at the end. Why did it sink deeper at the start? Use the table to help you.	
(d)	The buggy rests on three skis instead of three wheels. Why are skis better than wheels for travelling on snow?	1 ma
		1 m:
(e)	When a bigger sail is used, the buggy goes faster.	
	How does a bigger sail help the buggy to go faster?	
		1 ma
	maximum 7 marks	





3aii

1 mark

(i) What is the lowest temperature this thermometer can measure?


			_	°C	


(ii) What is the normal temperature of the human body? Tick the correct box.

37°C	39°C	41°C	

(iii) When we are ill our temperature may go up.

A nurse can measure a child's temperature with two different thermometers as shown below.







Give one reason why it is safer to use a plastic strip thermometer than a glass thermometer.

		3aiii
1	mark	

KS3/05/Sc/Tier 3-6/P2

PrimaryTools.co.uk

Give the name of one other type of micro-organism that can make us ill. Alcohol and mercury are two liquids that can be used in glass thermometers. The table gives information about these liquids. Iiquid boiling point (°C) colour alcohol 78 colourless mercury 357 shiny grey	Vii	ruses are	micro-organis	sms that can make u	s ill.	
liquid boiling point (°C) colour alcohol 78 colourless mercury 357 shiny grey (i) A red dye is added to the colourless alcohol used in thermometers. Suggest a reason for this. (ii) Choose words from the list below to fill the gaps in the sentences. gas liquid solid	Gi	ve the na	me of one oth	ner type of micro-orga	anism that ca	n make us ill.
liquid boiling point (°C) colour alcohol 78 colourless mercury 357 shiny grey (i) A red dye is added to the colourless alcohol used in thermometers. Suggest a reason for this. (ii) Choose words from the list below to fill the gaps in the sentences. gas liquid solid				 		
liquid boiling point (°C) colour alcohol 78 colourless mercury 357 shiny grey (i) A red dye is added to the colourless alcohol used in thermometers. Suggest a reason for this. (ii) Choose words from the list below to fill the gaps in the sentences. gas liquid solid	ΔΙ	cohol and	I mercury are	two liquids that can b	ne used in als	iss thermometers
alcohol 78 colourless mercury 357 shiny grey (i) A red dye is added to the colourless alcohol used in thermometers. Suggest a reason for this. (ii) Choose words from the list below to fill the gaps in the sentences. gas liquid solid When alcohol and mercury boil they both change from a liquid to a A thermometer containing mercury can be used to measure the temperature of an oven at 150°C because mercury is a						iso mormometers.
alcohol 78 colourless mercury 357 shiny grey (i) A red dye is added to the colourless alcohol used in thermometers. Suggest a reason for this. (ii) Choose words from the list below to fill the gaps in the sentences. gas liquid solid When alcohol and mercury boil they both change from a liquid to a A thermometer containing mercury can be used to measure the temperature of an oven at 150°C because mercury is a			liquid	boiling point (°C)	colour	1
(ii) A red dye is added to the colourless alcohol used in thermometers. Suggest a reason for this. (ii) Choose words from the list below to fill the gaps in the sentences. gas liquid solid When alcohol and mercury boil they both change from a liquid to a A thermometer containing mercury can be used to measure the temperature of an oven at 150°C because mercury is a			alcohol	78	colourless	
Suggest a reason for this. (ii) Choose words from the list below to fill the gaps in the sentences. gas liquid solid When alcohol and mercury boil they both change from a liquid to a A thermometer containing mercury can be used to measure the temperature of an oven at 150°C because mercury is a			mercury	357	shiny grey	-
A thermometer containing mercury can be used to measure the temperature of an oven at 150°C because mercury is a						
temperature of an oven at 150°C because mercury is a	(ii)		gas	liquid s	olid	
	(ii)	When a	gas	liquid s	olid	
at 150°C.	(ii)	When a	gas Icohol and me	liquid sercury boil they both o	change from a	a liquid to
	(ii)	When a a A therm tempera	gas Icohol and me ometer contai	liquid secury boil they both of the both o	change from a	a liquid to sure the
	(ii)	When a a A therm tempera	gas Icohol and me ometer contai	liquid secury boil they both of the both o	change from a	a liquid to sure the
	(ii)	When a a A therm tempera	gas Icohol and me ometer contai	liquid secury boil they both of the both o	change from a	a liquid to sure the
maximum 7 marks	(ii)	When a a A therm tempera	gas Icohol and me ometer contai	liquid secury boil they both of the both o	change from a	a liquid to

Table 1 below shows the colour of universal indicator in acidic, neutral and alkaline solutions.

	acidic			neutral		alkaline	→
colour of indicator	ı ran	orange	yellow	green	blue	dark blue	purple

table 1

Ramy tested different liquids with the indicator solution. His results are shown in table 2 below.

liquid	colour of indicator solution
milk	green
lemonade	orange
water	green
fruit juice	red
washing-up liquid	blue


table 2

- (a) Use Ramy's results to answer the following questions.
 - (i) Give the name of **one** acidic liquid in **table 2**.

(ii) Give the name of one neutral liquid in table 2.

KS3/05/Sc/Tier 3-6/P2

PrimaryTools.co.uk




(i) How could Ruth **see** that some of the copper sulphate crystals had dissolved in the water?

- (ii) How could Ruth make the copper sulphate crystals dissolve more quickly?
- (b) Ruth poured some of the copper sulphate solution into a dish. She left it in a warm room for five days.

All the water evaporated from the solution in the dish. What was left in the dish?



1 mark



Use the graph above to answer the questions below.

(i) At 30°C how many grams of solid R dissolved in the water?

_____ g

(ii) At 60°C which solid dissolved the most in water? Give the letter.

(iii) Which two solids were equally soluble at 25°C? Give the letters.

_____ and ____

maximum 6 marks

KS3/05/Sc/Tier 3-6/P2

PrimaryTools.co.uk


1 mark

1 mark

1 mark

5cii

6. The diagram below shows the digestive system.



- 6ai
- 6aii
- 6aiii

- (a) (i) Give the letter which labels the stomach.
 - (ii) Give the letter which labels the small intestine.
 - (iii) Glucose is absorbed in the small intestine.

What carries glucose from the intestine to other parts of the body?

PrimaryTools.co.uk

Some pupils visited a deer park.
 A poster showed different types of deer.

	adult male	adult female	young
Red deer			
Fallow deer			
Roe deer			

(a) Emily said, 'I saw a male deer'.

Look at the drawings in the poster. How would Emily know that the deer was male?




1 mark

KS3/05/Sc/Tier 3-6/P2

PrimaryTools.co.uk

8. The drawing below shows a garden water feature. It is solar-powered.



The solar cell absorbs energy from the Sun.

The solar cell is connected to a motor in the bowl.

The motor drives a pump.

Water is pumped up to the jug and it flows back down to the bowl.

(a) Use the information above to help you to complete the following sentences.

Choose words from the list.

chemica	chemical electrical gravitational potential			kinetic		
	light		sound		thermal	

(i) The useful energy change in the solar cell is from

light to energy

(ii) The useful energy change in the motor is from

electrical energy to ______ energy.

(iii) As the water flows from the jug to the bowl _____

energy is changed into _____ energy.

KS3/05/Sc/Tier 3-6/P2

8ai

1 mark

1 mark

1 mark

1 mark


8aiii

maximum 6 marks

KS3/05/Sc/Tier 3-6/P2

17






(a) Complete the table below by writing **on** or **off** for each bulb. One has been done for you.

switch		bulb			
S ₁	S ₂	Α	В	С	D
open	open	off	off	off	off
open	closed				
closed	open				
closed	closed				

9a
1 mark
9a
1 mark
9a
1 mark

(b) Lorna then built a different circuit as shown below.



How could Lorna get both bulbs to light at the same time in this circuit?

1	no o ul c	
		9b

maximum 4 marks


PrimaryTools.co.uk

		greater than	less than	the same as
10aii	(b)	Use words from the b	poxes below to complete the sen	tence.
		than the nitrogen	rangement of nitrogen particles cl	
10ai rk			personal emergency alarm. las to produce a very loud sound	

(c) Zeena pushes the lid down and nitrogen gas escapes through the diaphragm.

The diaphragm vibrates and produces a sound.

The pattern on the oscilloscope screen below represents the soundwave produced by the alarm.



(i) The loudness of the sound produced by the alarm decreases between X and Y.

How can you tell this from the graph?

(ii) The pitch of the sound produced by the alarm stays the same between X and Y.

How can you tell this from the graph?

10cii

10ci

1 mark

maximum 5 marks

KS3/05/Sc/Tier 3-6/P2

21



probe

In the table below, tick one box for each liquid to show whether it is acidic, neutral or alkaline. One has been done for you.

liquid	pH value	acidic	neutral	alkaline
alcohol	7			
dilute hydrochloric acid	2	1		
distilled water	7			
vinegar	3			
sodium hydroxide solution	11			

	11a
1 mark	
	11a
1 mark	

Between each test Molly dipped the probe into distilled water.

have the same effect as distilled water?

(i) Why did she do this?

	11bi


1 mark




1 mark

KS3/05/Sc/Tier 3-6/P2

(ii) Which other liquid in the table could Molly use between tests to





(i) Molly thought that magnesium would react more vigorously with hydrochloric acid than with vinegar. What information in the table made Molly think this?

(ii) How would Molly be able to tell if a more vigorous reaction took place with hydrochloric acid than with vinegar?


(d) (i) Complete the word equation for the reaction between magnesium and hydrochloric acid.

magnesium + hydrochloric → _____ + _____

(ii) After some time this reaction stopped. Why did the reaction stop?

maximum 9 marks

KS3/05/Sc/Tier 3-6/P2



11di

11dii

1 mark

Total

12. Two groups of pupils investigated the factors affecting the time taken for an indigestion tablet to dissolve in 100 cm³ of water.



Group 1 recorded their results in the table below.

results of group 1

tablet	time taken to dissolve (s)
whole tablet	34
broken tablet	28
finely crushed tablet	22

	(a)	vvnat factor did group i change as they carried out their investigation?
12a		
mark		
	(b)	Before the investigation, group 1 made a prediction. They found this prediction was supported by the results in the table.
		What prediction did group 1 make?
12b		
mark		

KS3/05/Sc/Tier 3-6/P2

Here are their results.

results of group 2

temperature of water (°C)	time taken to dissolve (s)
65	24
40	35
15	90
5	100


	What factor did group 2 change as they carried out their investigation?	
		12c
(d)	What pattern do the results recorded by group 2 show?	
		12d
(e)	Look at the results presented by group 1 and group 2. Both groups used the same type of tablet.	
	Estimate the temperature of water used by group 1.	12e
	°C	1 mark

maximum 5 marks

KS3/05/Sc/Tier 3-6/P2

25

	13. (a) When fertilisation takes place, the nucleus of a sperm joins nucleus of an ovum (egg).In which part of the reproductive system does fertilisation notake place in humans?Tick the correct box.								
					cervix ovary				
13a 1 mark					oviduct uterus				
	(b) The table below gives information about fertilisation in three ani								
				animal	Does fertilisation take place inside or outside the body?	number of eggs released at a time			
				human	inside	1			
			١	bird	inside	4			
				frog	outside	3000			
	Frogs release their eggs and sperm into water. The eggs are fertilised in the water. Why is it an advantage for frogs to release large numbers of eggs ar sperm?								
13b									



(i) The shell of a bird's egg is porous. This means it has microscopic holes in it.

Why does it need to be porous?

- (ii) Give one other function of the egg shell.
- (d) A bird's egg contains yolk which is a food store for the developing chick. A human egg does not contain yolk.

Why does a human egg not need to contain a food store for the embryo?

maximum 5 marks


PrimaryTools.co.uk

1 mark

1 mark

13cii

13d



(i) Give the name and function of part P.

name of part P

function of part P

(ii) Which word describes this group of cells? Tick the correct box.

compound

organism

organ


tissue

14a

1 mark

1 mark

14ai



(i) Muscle cells can contract.

Give one reason why muscles are needed in the intestine.

(ii) Other cells in the intestine produce enzymes.

What effect do enzymes in the intestine have on nutrients such as protein?

(iii) Which of the following is required in the diet to keep food moving through the intestine? Tick the correct box.

fat

fibre

protein

starch

maximum 6 marks

KS3/05/Sc/Tier 3-6/P2

PrimaryTools.co.uk


29

14bi

14bii

14biii

She set up the experiment as shown below.




When the temperature of the water was 10°C the waterweed did not produce bubbles.

Suzi increased the temperature of the water in the water-bath to 20°C. The waterweed started to produce bubbles. She waited two minutes before starting to count the bubbles.

Explain why she waited for two minutes before she started to count the bubbles.



Her results are shown on the graph below.



- (i) Draw a smooth curve on the graph.
- (ii) Use your curve to find the temperature of water which produced the most bubbles per minute.

____°C

(c) Suzi predicted that the higher the temperature the more bubbles would be produced.

Which points on the graph support Suzi's prediction?

(d) Suzi's data does **not** show clearly the exact temperature at which most bubbles were produced.

How could she improve the data she collects to find this temperature?

maximum 5 marks

PrimaryTools.co.uk

1 mark

15d

1 mark

1 mark

15bii

15c

END OF TEST